Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"6222381".pn. "6119181".pn. "6088795".pn	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/11 13:24
S1	8	turbo adj cod\$3 adj (routine\$1 or algorithm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:00
S2	8	(turbo adj cod\$3) adj (routine\$1 or algorithm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:40
S3	3	S2 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:40
S4	5	S2 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:40
S5	2	S3 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:43
S6	11	(morpho adj technologies).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	OFF	2004/12/10 18:44
S7	3	S6 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:49
<b>S8</b>	1	S7 and context	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 18:49
S9	10	("4905317"   "5406570"   "5436918"   "5555547"   "5724394"   "5875214"   "6301684"   "6310887"   "6337890"   "6343105").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/10 18:51
S10	44	execut\$ with (turbo adj2 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:07
S11	14	S10 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:02

	_			Υ		
S12	4	S11 and configur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:02
S13	6	("4128890"   "4669084"   "5612974"   "5954836"   "5964825"   "6081921").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/11 14:05
S14	826	(turbo adj2 cod\$3) with (method or process or apparatus or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:08
S15	10	S14 and configur\$3 with array	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:08
S16	6	S15 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:34
S17	396	714/786.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:42
S18	138	S17 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:05
S19	138	S18 and (method or algorithm or process or apparatus or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:44
S20	88	S19 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:05
S21	48	S20 and (array\$1 or group\$1 or display or arrangement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 14:47
S22	9	S21 and (reconfigur\$4 or rc or cell\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:06
S23	9	S22 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2004/12/11 15:04

S24	2631	370/342.ccls.	US-PGPUB;	OR	OFF	2004/12/11 15:09
			USPAT; EPO; JPO; DERWENT			
S25	119	S24 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:14
S26	50	S25 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:11
S27	3	S21 and ((configur\$4 or rc or cell\$1) with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:08
S28	600	370/441.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:08
S29	34	S28 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:11
S30	14	S29 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:09
S31	1	S30 and ((configur\$4 or rc or cell\$1) with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:11
S32	129	714/790.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S33	51	S32 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:09
S34	34	S33 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF .	2004/12/11 15:09
S35	2	S34 and ((configur\$4 or rc or cell\$1) with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:09

S36	1380	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:11
S37	63	S36 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S38	35	S37 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S39	2	S38 and ((configur\$4 or rc or cell\$1) with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S40	643	714/755.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S41	176	S40 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S42	93	S41 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:12
S43	1	S42 and ((configur\$4 or rc or cell\$1) with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:13
S44	29	S42 and (configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:13
S45	0	S44 and mix adj2 log	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:13
S46	12	mix adj2 log	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:14
S47	12	S46 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:14

S48	1	S47 and ((turbo adj cod\$3) (concatenated adj convolutional))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/11 15:14
S49	633	array with (SIMD)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:03
S50	1	S49 and turbo adj2 (cod\$3 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:04
S51	724	array\$1 and turbo adj2 (cod\$3 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:05
S52	865	(array\$1 or matric\$3) and turbo adj2 (cod\$3 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:06
S53	578	S52 and ((execut\$3 or perform\$3) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:07
S54	195	S53 and @ad<="20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:07
S55	6	S54 and (reconfigur\$3 or reprogram\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/12 11:08
S56	2	("5278906"   "5365530").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/12 12:52
S57	169	((turbo adj cod\$4) or (concantanated adj2 convolutio\$3)) with (log ad2 map)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/12 12:56
S58	76	S57 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/12 12:56
S59	10	S58 and (array\$1 or matric\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/12 12:57
S60	169	((turbo adj cod\$4) or (concantanated adj2 convolutio\$3)) with (log ad2 map)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:50
S61	76	S60 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:49

S62	10	S61 and (array\$1 or matric\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 08:42
S63	17	(log adj2 map) with (processor or cpu)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:22
S64	7	S63 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:22
S65	1	"6175940".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:22
S66	5	S63 and (look adj2 up)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:38
S67	647	714/755.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:38
S68	16	S67 and (map adj2 log)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:39
S69	4	S68 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:39
S70	2	S69 and (processor or cpu or dsp)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:59
S71	3996	(processor or cpu or dsp) and (idle with power)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 09:59
S72	3383	(processor or dsp) and (idle with power)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:00
S73	538	(processor or dsp) and (idle with (power adj consumption))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:00
S74	343	S73 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:01
S75	2	S74 and ((turbo adj2 code\$3) (concantanated))	US-PGPUB; USPAT; USOCR	OR ,	OFF	2004/12/13 10:01
S76	11	S74 and ((turbo adj2 code\$3) (concatenated))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:02
S77.	417	375/265.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:53

S78	62	S77 and ((turbo adj cod\$4) or (concantanated adj2 convolutio\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:49
S79	14	S77 and ((turbo adj cod\$4) or (concantanated adj2 convolutio\$3)) with (log ad2 map)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:53
S80	11	S79 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:55
S81	2	S80 and array\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:53
S82	964	375/341.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:53
S83	24	S82 and ((turbo adj cod\$4) or (concantanated adj2 convolutio\$3)) with (log ad2 map)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:53
S84	4	S83 and array\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 10:54
S85	13	S83 and @ad<="20010711"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 13:44
S86	112	reconfigurable adj cell\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 16:43
S87	1	S86 and turbo adj cod\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 16:56
S88	1	"6175940".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 16:45
S89	6	S86 and (coding or encoding)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 17:08
S90	423	714/786.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 17:08
S91	90	S90 and process\$3 with (element\$1 or array\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 17:09
S92	5	S91 and reconfigurable	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 17:34
S93	16	reconfigurable adj cells	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 17:35

S94	8	S93 and (@ad<="20010711" or @pd<="20010711")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 18:03
S95	4	"5742180".pn. "5886537".pn. "5128559".pn. "5394031".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/02 18:06
S96	2	"6222381".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/03 10:32